

CDN is your resource for measurement tools, with a broad assortment of thermometers, timers and scales. CDN is a global category leader with the personal service and commitment of a business that has been family owned for over 35 years. All over the world, people rely on CDN for product innovation, superior customer service, quality and value.

THERMOMETERS

DIGITAL THERMOMETERS



Digital Thermometer

-50 to +392°F/-45 to +200°C

- One-button operation
- Temperature guide on sheath
- 3 mm tip; 5" stem

CDN # DT392



Thin Tip Pocket Thermometer

-40 to +450°F/-40 to +230°C

- Hold mode
- Field calibration
- 1.5 mm thin tip; 2.75" stem

CDN # DTT450

Yellow

DTT450-R Red

DTT450-G Green

DTT450-R Blue



Waterproof Thin Tip Thermometer

-40 to +572°F/-40 to 300°C

- Hold & Max/Min modes
- Waterproof (IPX7)
- Field calibration
- 180° rotating display
- 1.5 mm thin tip; 3.5" stem

CDN # DTTW572

NEW



Waterproof Thermometer - Long Stem

-40 to +450°F/-40 to +230°C

- Hold & Max/Min modes
- Dishwasher safe (IPX7)
- Field calibration
- 2.5 mm reduced tip; 8" stem

CDN # DTW450L



COOKING THERMOMETERS



Cooking Thermometer - Twin Pack

0 to 220°F

- Dishwasher safe
- Field calibration with tool on sheath
- 1" magnified dial; 5" stem

CDN # IRT220-X2



Ovenproof Meat Thermometer - Glow

120 to 200°F/50 to 100°C

- Temperature guide
- Easy to read in low light conditions
- Dishwasher safe
- Boil test field calibration
- Extra-large 2" dial; 5" stem

CDN # IRM200-GLOW



THERMOCOUPLE THERMOMETERS



Rotating Display Thermocouple Thermometer

-40 to +572°F/-40 to +300°C

- Backlit extra-big digits in white
- 180° rotating display
- 3 second response
- 1.5 mm thin tip; 4.5" probe

CDN # DTF572



Waterproof Folding Thermocouple Thermometer

-58 to +572°F/-50 to +300°C

- Waterproof (IPX7)
- Backlit in amber
- 360° rotating display
- 2 second response
- Field calibration
- 1.5 mm thin tip; 4.33" probe

CDN # TCTW572

NEW



INFRARED THERMOMETERS



Infrared Gun/Thermocouple Thermometer

Infrared: -76 to +662°F/-60 to +350°C;

Thermocouple: -76 to +662°F/-60 to +350°C

- Distance:spot = 8:1
- 8-beam laser target illumination
- Backlit HACCP check lights
- Max/Min and Lock modes
- 1.5 mm thin tip; 3.75" probe

CDN # INTP662



CANDY & DEEP FRY THERMOMETERS



Candy & Deep Fry Ruler Thermometer

100 to 400°F/40 to 200°C

- Candy and deep fry stages
- Dishwasher safe
- 8" color-coded scale

CDN # TCG400



Candy & Deep Fry Thermometer

100 to 400°F

- Candy stages
- Dishwasher safe
- Field calibration with tool on sheath
- 1.75" dial; 7" stem

CDN # IRXL400



BEVERAGE & FROTHING THERMOMETERS



Beverage & Frothing Thermometer

0 to 220°F

- Frothing zone
- Dishwasher safe
- Field calibration with tool on sheath
- 1" magnified dial; 5" stem

CDN # IRT220-F

SANITIZING & PROBE WIPES



Thermometer Probe Wipes

90 Count

- 70% Isopropyl Alcohol
- Expiration date on package
- 3.5" x 4.7" pads

CDN # PW90

OVEN & GRILL THERMOMETERS



Oven Thermometer

150 to 550°F/70 to 280°C

- Ovenproof
- Durable laboratory glass lens
- Temperature zones

CDN # DOT2

REFRIGERATOR/FREEZER/AIR THERMOMETERS



Refrigerator/Freezer Thermometer

-40 to +120°F/-40 to +50°C

- Shatterproof case
- Non-mercuric column
- Temperature zones

CDN # EFG120



RFT1 – Refrigerator/Freezer Thermometer

-20 to +80°F/-29 to +28°C

- Durable laboratory glass lens
- Temperature zones
- 2-way mounting: stand/hang

CDN # RFT1



Refrigerator/Freezer Thermometer

-40 to +80°F/-40 to +27°C

- Shatterproof case
- Non-mercuric column
- Temperature zones

CDN # FG80

TIMERS



Multi-Task Timer & Clock

24 hours by hr/min/sec

- Counts up/down
- Dual function
- Memory

CDN # TM8



Extra Big Digit Timer

100 minutes by min/sec

- Counts up/down
- Last count recall
- Extra big digit
- Loud & long alarm

CDN # TM15



Heavy Duty Mechanical Timer

1 hour by min

- Counts down
- Long 3 second alarm
- Stainless steel housing

CDN # MT1

SCALES

MASTER SCALES



Digital Portion Control Scale, 5 lb

5 lb/2.27 kg by lb:oz/kg.g

- Small profile
- Tare function
- Hold mode
- Field calibration

CDN # SD0502



Digital Portion Control Scale, 11 lb

11 lb/5 kg by lb:oz/kg.g

- Small profile
- Tare function
- Hold mode
- Field calibration

CDN # SD1114



Digital Portion Control Scale, 11 lb

11 lb/5 kg by lb:oz/kg.g

- Medium profile
- Tare function
- Hold mode
- Field calibration

CDN # SD1112




Digital Portion Control Scale, 55 lb

55 lb/25 kg by lb:oz/kg.g

- Large profile
- Tare function
- Hold mode
- Field calibration

CDN # SD5502

SUBMERSIBLE SCALES



Submersible Scale, 11 lb

11 lb/5 kg/176 oz by lb:oz/kg/fr oz/g

- Submersible (IP67)
- Programmable
- Tare function
- Field calibration

CDN # SD1110X



Digital Scale, 11 lb – Black

11 lb/5 kg/176 oz/5 l by lb:oz/fl oz/g/ml

- Tare function
- Backlit display
- Stainless steel platform

CDN # SD1104-BK

GLASS SCALES



NSF® Digital Glass Scale, 15 lb - Silver

15 lb/7 kg by lb:oz/g

- Tare function
- Tempered glass

CDN # SD1502-S



NSF® Digital Glass Scale, 15 lb - Black

15 lb/7 kg by lb:oz/g

- Tare function
- Tempered glass

CDN # SD1502-BK

PRECISION SCALES



Digital Precision Scale, 2.2 lb

2.2 lb/1000 g by oz/g

- Precise to 0.01 oz/0.2 g
- Tare function

CDN # SD0202



Digital Shipping & Receiving Scale, 220 lb

220 lb/100 kg by lb:oz/kg

- Programmable preset unit
- Tare function
- Extendable display

CDN # SDR220