



Measurement Tools

NRA 2024 AGENDA

- Thank You for 40 Years
- 2023 Sales Growth Update
- 2023 Sales Rep and Notable Achievements
- What's New
- Competition Update – CDN Positioning

NRA 2024 AGENDA

- 2024 Marketing Materials
- Advertising
- Growth Strategy
- Recap – 2024 Recipe for Success



Thank You for 40 Years

THANK YOU FOR 40 YEARS





2023 Sales Growth Update



2023 Sales Rep and Notable Achievements

2023 SALES REP AND NOTABLE ACHIEVEMENTS




Atlantic Foodservice Solutions

Atlantic
Foodservice
Solutions



Select
Marketing &
Distributing



PREFERRED
SOURCE

Preferred
Source

Bob Waite
& Associates

Bob Waite
& Associates



What's New

NEW PRODUCTS

DIGITAL FOLDING THERMOMETER

- Compact folding design
- 4-second response
- Waterproof (IPX6)
- 1.7 mm thin tip
- Internal magnet
- Accuracy: $\pm 2^{\circ}\text{F}$ (1°C)
- -58 to +572°F/-50 to +300°C
- List Price 16.00



DT572



NEW PRODUCTS

SUBMERSIBLE SCALE, 11 lb

- Low/high limit alerts with backlit display
- Submersible (IP68)
- Programmable
- Tare
- Field calibration
- 11 pounds/5 kilograms/176 ounces by ounces, fractional ounces, kilograms, grams, pounds:ounces, pounds:fractional ounces and pounds
- List Price 225.00



SD1120



NEW PRODUCTS

SUBMERSIBLE SCALE, 22 lb

- Low/high limit alerts with backlit display
- Submersible (IP68)
- Programmable
- Tare
- Field calibration
- 22 pounds/10 kilograms/352 ounces by ounces, fractional ounces, kilograms, grams, pounds:ounces, pounds:fractional ounces and pounds
- List Price 245.00



SD2220



NEW PRODUCTS

DIGITAL HIGH PRECISION SCALE, 2 LB

- Precise to 0.01 oz, 0.1 g
- Tare
- Removable stainless steel platform
- On/off button
- Auto-off
- 2.2 pounds/1000 grams by ounces and grams
- List Price 40.00



SD0202



BUTTON CELL OR COIN BATTERY WARNING

Model DTT450

THIN TIP POCKET THERMOMETER

-40 to +450°F/-40 to +230°C

For thin cuts of meat and general purpose cooking

4-second response

One-button field calibration

1.5 mm thin tip

Hold

certified WBENC

BioCote

5 YEAR LIMITED WARRANTY

NSF

Measurement Tools

THERMOMÈTRE DE POCHE À POINTE FINE

-40 to +230°C

-40 à +450 °F / -40 à +230 °C

Note : Retirez l'étiquette de l'affichage avant la première utilisation. Nettoyez la tige du thermomètre avant chaque utilisation.

Important : NE LAISSEZ PAS DANS UN FOUR CHAUD OU AU MICRO-ONDE. LAVEZ ET SECHÉZ À LA MAIN.

WARNING

RD: DEATH or serious injury can occur if ingested.

on cell or coin battery can cause **Internal**

in as little as **2 hours**.

ed batteries **OUT OF REACH OF CHILDREN**

medical attention if a battery is suspected or inserted inside any part of the body.

ormation call: [phone number for the National Hotline, currently 1-(800) 498-8666].

ckage until ready to use.

se of used batteries and keep away from dispose of batteries in household trash.

ry type LR44 with a nominal voltage of 1.5V

e type LR44 avec une tension nominale de 1.5 V

osphate glass to preserve the adation caused owth

Any instrument

le in material or

batteries) within five

e will be repaired or

upon receipt of the

Box 10947,

USA. This warranty

in shipment or

to adhere to the

is, inadequate

ar and tear, tampering,

orized modification,

abuse, CDN shall not

ental or incidental

Contient la technologie antimicrobienne BioCote basée sur verre phosphate chargé avec argent afin de protéger la superficie et prévenir la dégradation causée par le développement des microbes.

For more detailed information on our products, please visit CDNmeasurement.com or call 800-338-5594.

certified WBENC

Pro Accurate Quick-Read

CE

NSF

Instructions

includes

en Français

Model/Modèle DTT450

Made in Vietnam/Fabriqu  en Vietnam

  05-2024 CDN

WARNING

- **INGESTION HAZARD: DEATH** or serious injury can occur if ingested.
- A swallowed button cell or coin battery can cause **Internal Chemical Burns** in as little as **2 hours**.
- KEEP new and used batteries **OUT OF REACH OF CHILDREN**
- **Seek immediate medical attention** if a battery is suspected to be swallowed or inserted inside any part of the body.
- For treatment information call: [phone number for the National Battery Ingestion Hotline, currently 1-(800) 498-8666].


certified
WBENC
 WOMEN'S BUSINESS ENTERPRISE

MAP POLICY & ENFORCEMENT

February 15, 2024

- Mostly all cleaned up
- Amazon & eBay

NEW CDN WEBSITE



- Coming June/July 2024
- New look to reinforce CDN's category leadership
- Simple navigation
- Updated product information
- Quick-read product descriptions
- Easy searchability
- Instruction manuals and technical specs for viewing or downloading



Competition Update – CDN Positioning

COMPETITION UPDATE – CDN POSITIONING



COMARK



Infrared Thermometers

Infrared Gun

Model: IN1022



	CDN IN1022	Comark FP-CMARK-US Food Pro
Features	Memory, max/min, hold, difference, average & lock for continuous scanning, backlit display, one-button operation, high & low alerts (HACCP), on/off button, auto-off, selectable units	Hold, HACCP check backlighting, on/off button, selectable units
Measurement Range	-76 to +1022°F/-60 to +550°C	-22 to +400°F/-30 to +200°C
Unit of Measure	°F (°C)	°F (°C)
Accuracy	±2.7°F (1.5°C)	32 to 150°F (0 to 65°C): ±2°F (1°C); below 32°F (0°C): ±2°F (1°C); above 150°F (65°C): ±1.5% of reading
Calibration	NML-Traceable Certificate	N/A
Heat Resilience	High heat	N/A
Water Resilience	N/A	IP54: protected from water splashes from any direction; dust protected (except case/probe junction)
Distance/Spot	12:1	2.5 to 1
Target Illumination	8-beam laser target illumination	High brightness LED
Emissivity	0.1-1, Step 0.01	Pre-set for food service applications
Spectral Response	5.5-14 µm	8-14 µm
Response Time	1-second response	<1-second response
Alert/Alarm	Programmable high & low alerts for HACCP compliance	HACCP check backlights
Auto-off	Auto-off after 60 seconds	N/A
Housing Material	ABS plastic	N/A
Display Material	LCD	LCD
Display Size	0.875 W x 1.0 H in (2.2 W x 2.5 H cm)	N/A
Resolution	0.1°F (0.1°C)	N/A
Operating Range	32 to 122°F (0 to 50°C)	32 to 122°F (0 to 50°C)
Battery	Two AAA alkaline batteries included	1 x AA alkaline
Battery Life	Typically 14 hours and 18 minutes, continuous use	10 hours @ +23°C / +73°F
Dimensions	1.625 W x 5.875 H x 4.5 D in (3.9 W x 7.68 H x 1.93 D cm)	1.25 W x 5.88 H x 2 D in (3.0 W x 15.0 H x 5.0 D cm)
Weight	5.9 oz (167.3 g) (including battery)	5.28 oz (150 g) (including battery)
UPC	0 18436 00571 1	N/A
Certification	WEEE, CE	NSF® Certified
Warranty	1-Year Limited Warranty	2-Year Limited Warranty
List Price	103.80	100.56

Tel 800 338-5594 Fax 800 879-2364 Web CDNmeasurement.com

© 01-2024 CDN

CD2921100 - 1/24



Infrared Thermometers

Infrared Gun/Thermocouple Thermometer

Model: INTP662



	CDN INTP662	Comark FP-CMARK-US Food Pro	Comark FP-CMARK-US Food Pro Plus
Features	Dual function, max/min, hold & lock for continuous scanning, one-button operation, HACCP check backlighting, on/off button, auto-off, selectable units	Hold, HACCP check backlighting, on/off button, selectable units	Dual function, hold, HACCP check backlighting, countdown timer, on/off button, selectable units
Measurement Range	Infrared: -76 to +662°F/-60 to +350°C; Thermocouple: -76 to +662°F/-60 to +350°C	Infrared: -22 to +400°F/-30 to +200°C	Infrared: -30 to +525°F/-35 to +275°C; Thermocouple: -40 to +302°F/-40 to +150°C; Countdown Timer: 10 seconds to 7 hours, 59 mins
Unit of Measure	°F (°C)	°F (°C)	°F (°C)
Accuracy	Infrared: (Tobj=59-95°F (15-35°C), Tamb=77°F (25°C)): ±1.1°F (0.6°C), (Tamb=73-37.4°F (23-3°C)): -76 to 32°F (-60 to 0°C): ±1.8°F (1°C + 0.1°C), 32 to 149°F (0 to 65°C): ±1.8°F (1°C), 149 to 662°F (65 to 350°C): ±1.5% of reading; Thermocouple: below 23°F (-5°C): ±1.8°F (1°C), 23 to 149°F (-5 to 65°C): ±0.9°F (0.5°C), above 149°F (65°C): ±1% of reading	Infrared: 32 to 150°F (0 to 65°C): ±2°F (1°C); below 32°F (0°C): ±2°F (1°C); above 150°F (65°C): ±1.5% of reading	Infrared: 32 to 150°F (0 to 65°C): ±2°F (1°C); below 32°F (0°C): ±2°F (1°C); above 150°F (65°C): ±1.5% of reading; Thermocouple: 23 to 150°F (-5 to 65°C): ±1°F (0.5°C)
Calibration	NML-Traceable Certificate		Traceable Certificate
Heat Resilience	High heat		
Water Resilience	IP54: protected from water splashes from any direction; dust protected (except case/probe junction)	IP54: protected from water splashes from any direction; dust protected (except case/probe junction)	IP54: protected from water splashes from any direction; dust protected (except case/probe junction)
Distance/Spot	8:1	2.5 to 1	2.5 to 1
Target Illumination	8-beam laser target illumination	High brightness LED	High brightness LED
Emissivity	0.1-1, Step 0.01	Pre-set for food service applications	Pre-set for food service applications
Spectral Response	8-14 µm	8-14 µm	8-14 µm
Response Time	Infrared: 1-second response, Thermocouple: 3-second response	Infrared: <1-second response	Infrared: <1-second response, Probe: 3-second response to 8-second response
Alert/Alarm	HACCP check backlights	HACCP check backlights	HACCP check backlight, countdown timer
On/Off	On/off button	N/A	N/A
Auto-off	Auto-off after 15 seconds	N/A	N/A
Housing Material	Food-safe ABS	N/A	N/A
Display Material	LCD	LCD	LCD
Display Size	0.875 W x 1.125 H in (2.2 W x 2.85 H cm)	N/A	N/A
Probe Type	Thermocouple Type K	N/A	N/A

Tel 800 338-5594 Fax 800 879-2364 Web CDNmeasurement.com



COMPETITION UPDATE – CDN POSITIONING



COPELAND

COMPETITION UPDATE – CDN POSITIONING

Rep Changes

[CFS BRANDS

Escali

Winco®

COMPETITION UPDATE – CDN POSITIONING

Sales Management Change

TAYLOR®



2024 Marketing Materials

2024 MARKETING MATERIALS

Sales Tools



Foodservice

2024

CDNmeasurement.com



FOODSERVICE PRICE LIST

Effective January 1, 2024

THERMOMETERS

DIGITAL THERMOMETERS

DT392 – Digital Thermometer
-50 to +392°F/-45 to +200°C
• One-button operation
• Temperature guide
• 3 mm tip, 5" stem
0 18436 00509 1

Case Pack	Inner Pack	List Price
144	6	15.35

DT1572 – Digital Folding Thermometer
-58 to +572°F/-50 to +300°C
• 4-second response
• Waterproof (IPX6)
• 1.7 mm thin tip, 3.375" stem
0 18436 00509 4
0 18436 00515 5
0 18436 00516 2
0 18436 00517 9

Case Pack	Inner Pack	List Price
60	6	16.00

DT450X – Digital Pocket Thermometer
-40 to +450°F/-40 to +230°C
• 6-second response
• Hold
• 2.5 mm reduced tip, 2.75" stem
0 18436 00457 8
0 18436 00471 4
0 18436 00472 9
0 18436 00474 5

Case Pack	Inner Pack	List Price
144	6	19.45

DTT450 – Thin Tip Pocket Thermometer
-40 to +450°F/-40 to +230°C
• 4-second response
• One-button field calibration
• Hold
• 1.5 mm thin tip, 2.75" stem
0 18436 00461 5
0 18436 00477 6
0 18436 00478 3
0 18436 00479 0

Case Pack	Inner Pack	List Price
144	6	26.35

DT450X – Thin Tip Thermometer
-40 to +450°F/-40 to +230°C
• 6-second response
• Waterproof (IPX6)
• One-button field calibration
• 1.5 mm thin tip, 4.75" stem
0 18436 00458 5

Case Pack	Inner Pack	List Price
144	6	27.15

Q2-450X – Heavy Duty Thin Tip Thermometer
-40 to +450°F/-40 to +230°C
• 6-second response
• Waterproof (IPX6)
• One-button field calibration
• 1.5 mm thin tip, 2.75" stem
0 18436 00459 2

Case Pack	Inner Pack	List Price
144	6	27.15

DTTW572 – Waterproof Thin Tip Thermometer
-40 to +572°F/-40 to 300°C
• 4-second response
• Waterproof (IPX7)
• One-button field calibration
• 180° rotating display
• 1.5 mm thin tip, 3.5" stem
0 18436 00507 0

Case Pack	Inner Pack	List Price
48	6	36.50

DTL572 – Lollipop Thermometer
-40 to +572°F/-40 to 300°C
• 4-second response
• Waterproof (IPX7)
• One-button field calibration
• 1.5 mm thin tip, 4.3" stem
0 18436 00511 7
0 18436 00512 4
0 18436 00513 1
0 18436 00514 8

Case Pack	Inner Pack	List Price
48	6	32.00

Best Seller

All products have a five year limited warranty unless otherwise noted. 5-Year Limited Warranty: Any instrument that proves to be defective in material or workmanship (excluding batteries) within five years of original purchase will be repaired or replaced without charge upon receipt of the unit prepaid at: CDN, PO Box 10947, Portland, OR 97296-0947. This warranty does not cover damage in shipment or failure caused by failure to adhere to the accompanying instructions, inadequate maintenance, normal wear and tear, tampering, accident, misuse, unauthorized modification, obvious carelessness or abuse. CDN shall not be liable for any consequential or incidental damages whatsoever.

Tel 800 338-5594 Fax 800 879-2364 Web CDNmeasurement.com



2022

CDNmeasurement.com



NEW PRODUCTS

2024

DT572 – DIGITAL FOLDING THERMOMETER
-58 to +572°F/-50°C to +300°C
0 18436 00509 4
0 18436 00515 5
0 18436 00516 2
0 18436 00517 9

- NSF® Certified
- Low/high limit alerts with backlit display
- Waterproof (IP68)
- Tare function
- Hold mode
- Programmable
- Field calibration
- Selectable units
- Stability indication
- Overload indication
- Low battery and charging indication
- Removable stainless steel platform
- On/off button
- Auto-off after 2 minutes, programmable to 5 minutes; disabled when AC adapter used
- Resolution: 0.05 oz, 1/8 oz, 0.001 kg, 1 g, 0 lb/0.1 oz, 0.002 lb
- Platform Size: 6.4 W x 7 L (in)/16.2 W x 18.2 L (cm), removable
- 14.3 W x 4.7 H x 7.9 D (in)/14.3 W x 4.7 H x 7.9 D (cm)
- 4.8V 1800mAh built-in rechargeable battery (WERCSmart)
- AC Adapter: 100-240 VAC 50/60 Hz input, 9V DC (1000mAh) output included

List price: **16.00**
Now shipping

SD2220 – SUBMERSIBLE SCALE, 22 LB
22 lb/10 kg/352 oz by oz/frac oz/kg/lb/oz/lb
0 18436 00847 7

- NSF® Certified
- Low/high limit alerts with backlit display
- Waterproof (IP68)
- Tare function
- Hold mode
- Programmable
- Field calibration
- Selectable units
- Stability indication
- Overload indication
- Low battery and charging indication
- Removable stainless steel platform
- On/off button
- Auto-off after 10 minutes
- Food-safe ABS plastic
- 304 stainless steel stem
- Temperature guide in instructions
- 2-way mounting: magnet/loop
- 1.7 mm thin tip with 3.375"/8.6 cm stem
- One 3V CR2032 button battery (WERCSmart) included

List price: **245.00**
Now shipping

SD1120 – SUBMERSIBLE SCALE, 11 LB
11 lb/5 kg/176 oz by oz/frac oz/kg/lb/oz/lb
0 18436 00846 0

- NSF® Certified
- Low/high limit alerts with backlit display
- Waterproof (IP68)
- Tare function
- Hold mode
- Programmable
- Field calibration
- Selectable units
- Stability indication
- Overload indication
- Low battery and charging indication
- Removable stainless steel platform
- On/off button
- Auto-off after 2 minutes, programmable to 5 minutes; disabled when AC adapter used
- Resolution: 0.05 oz, 1/8 oz, 0.001 kg, 1 g, 0 lb/0.1 oz, 0.002 lb
- Platform Size: 5.38 W x 5.38 L (in)/13.7 W x 13.7 L (cm), removable
- Dimensions: 5.6 W x 1.8 H x 7.9 D (in)/14.3 W x 4.7 H x 20.0 D (cm)
- 4.8V 1800mAh built-in rechargeable battery (WERCSmart)
- AC Adapter: 100-240 VAC 50/60 Hz input, 9V DC (1000mAh) output included

List price: **225.00**
Now shipping

SD0202 – DIGITAL HIGH PRECISION SCALE, 2 LB
2.2 lb/1000 g by oz/g
0 18436 00842 2
0 18436 00843 8
0 18436 00844 6
0 18436 00845 3

- NSF® Certified
- Precise to 0.01 oz/0.1 g
- Tare function
- Stainless steel platform
- Selectable units
- Overload indication
- Battery status indication
- Food-safe ABS plastic with BioCote®
- On/off button
- Auto-off after 4 minutes
- Resolution: 0.01 oz, 0.1 g
- Platform Size: 4.45 x 4.45 (in)/11.3 x 11.3 (cm)
- Dimensions: 4.45 W x 0.84 H x 7.13 D (in)/11.3 W x 2.4 H x 18.1 D (cm)
- Two AAA carbon zinc batteries (WERCSmart) included

List price: **40.00**
Now shipping

Tel 800 338-5594 Fax 800 879-2364 Web CDNmeasurement.com

© 2024 CDN, Inc. All Rights Reserved. CDN® and ProAccurate® are registered trademarks of CDN, Inc. CD9999044A - 2/24

Catalog

Price Lists

CDN
Brochure

New
Products

2024 MARKETING MATERIALS

Sales Support



At a Glance

- A global category leader focused solely on thermometers, timers and scales
- 5-Year Warranty on most thermometers, timers and 1-Year Warranty on scales
- Good, Better, Best quality in every category
- Competitive pricing
- 50% dealer discount
- \$500 prepaid freight
- We breaks inner packs!
- High fill rates
- Family-owned and customer service orientated!
- Certified WBENC and WOSB member for large corporations, government and school bids
- Samples upon request
- AutoQuotes & buying group presence
- The choice of many chains: Bloomin Brands, Bob Evans, Chipotle, Cintas, Coffee Bean & Tea Leaf, Dutch Bros., Ecolab, Golden Corral, Medline, Panda Express, Peet's Coffee & Tea, SYNnex, Taco Bell, Texas Roadhouse, Tim Hortons, etc.
- Most products are NSF® Certified
- HACCP-certified BioCote® antimicrobial technology integrated into plastics during manufacturing
- Marketing and sales support

Tel 800 338-5594 Fax 800 879-2364 Web CDNmeasurement.com



CD2921134 - 10/23



MODEL	DESCRIPTION	UPC	CASE PACK	INNER PACK	LIST PRICE
GOOD					
DT392 *	Digital Thermometer	0 18436 00609 1	144	6	15.35
DT572 **	Digital Folding Thermometer	ALL COLORS	60	6	16.00
DT450X **	Digital Pocket Thermometer	ALL COLORS	144	6	19.45
IRT220 *	Cooking Thermometer	0 18436 00202 4	144	6	5.55
IRM200 *	Ovenproof Meat Thermometer	0 18436 00207 9	72	6	12.35
IN482	Infrared Thermometer, Timer & Clock	0 18436 00573 5	100	N/A	59.50
DTP392	Probe Thermometer	0 18436 00619 0	96	12	33.95
TCF400	Candy & Deep Fry Thermometer	0 18436 00501 8	72	6	7.00
DOT2 *	Oven Thermometer	0 18436 00251 2	144	6	6.15
FS80 *	Refrigerator/Freezer Thermometer	0 18436 00257 4	216	12	5.30
RT11 *	Refrigerator/Freezer Thermometer	0 18436 00255 0	144	6	6.15
TM2	Digital Timer	0 18436 00350 2	96	6	18.25
MTM3	Mechanical Timer	0 18436 00409 7	96	12	10.55
SD1104	Digital Scale, 11 lb	ALL COLORS	10	N/A	48.10
SD1502 **	NSF® Digital Glass Scale, 15 lb	ALL COLORS	20	N/A	48.10
SD2206	Digital Portion Control Scale, 22 lb	0 18436 00834 7	12	N/A	57.90
SD0909 **	Digital High Precision Scale, 2 lb	ALL COLORS	12	N/A	40.00
BETTER					
DTT450 *	Thin Tip Pocket Thermometer	ALL COLORS	144	6	26.35
DTQ450X **	Thin Tip Thermometer	0 18436 00458 5	144	6	27.15
Q2-450X **	Heavy Duty Thin Tip Thermometer	0 18436 00459 2	144	6	27.15
IRM190 *	Ovenproof Meat Thermometer	0 18436 00203 1	144	6	9.00
DTF572 **	Rotating Display Thermocouple Thermometer	0 18436 00493 6	24	6	74.35
IN1022	Infrared Gun	0 18436 00571 1	30	N/A	103.80
DTTC	Combo Probe Thermometer, Timer & Clock	ALL COLORS	48	6	37.80
TCG400	Candy & Deep Fry Ruler Thermometer	0 18436 00502 5	72	6	12.40
IRXL400 *	Candy & Deep Fry Thermometer	0 18436 00204 8	144	6	8.20
TM15 *	Extra Big Digit Timer	0 18436 00441 7	96	6	25.00
MT1	Heavy Duty Mechanical Timer	0 18436 00407 3	96	12	14.25
SD0502 **	Digital Portion Control Scale, 5 lb (Small Profile)	0 18436 00818 7	4	N/A	89.35
SD1114 **	Digital Portion Control Scale, 11 lb (Small Profile)	0 18436 00820 0	4	N/A	92.10
SD1112 **	Digital Portion Control Scale, 11 lb (Medium Profile)	0 18436 00817 0	4	N/A	115.45
SD2202 **	Digital Portion Control Scale, 22 lb (Large Profile)	0 18436 00816 3	4	N/A	153.35
SD3302 **	Digital Portion Control Scale, 33 lb (Large Profile)	0 18436 00815 6	4	N/A	156.70
SD0505 **	Digital Portion Control Scale, 55 lb (Large Profile)	0 18436 00827 9	4	N/A	171.40
BEST					
DTTW572 **	Waterproof Thin Tip Thermometer	0 18436 00507 0	48	6	36.50
DTL572 **	Lollipop Thermometer	ALL COLORS	48	6	32.00
DTW450 **	Dishwasher Thin Tip Thermometer	0 18436 00462 2	48	6	38.00
DTW450L **	Waterproof Thermometer - Long Stem	0 18436 00469 1	48	6	43.00
IRM200-GLOW **	Ovenproof Meat Thermometer - Glow	0 18436 00213 0	72	6	13.05
TCTW572 **	Waterproof Folding Thermocouple Thermometer	0 18436 00508 7	48	12	89.00
IRT220 *	Cooking Thermometer	0 18436 00202 4	144	6	5.55
IRM190 *	Ovenproof Meat Thermometer - 12"	ALL COLORS	144	6	19.45
DTT450 **	Thin Tip Pocket Thermometer	ALL COLORS	144	6	26.35
DTTW572 **	Waterproof Thin Tip Thermometer	0 18436 00507 0	48	6	36.50
COOKING THERMOMETERS					
IRT220 *	Cooking Thermometer	0 18436 00202 4	144	6	5.55
IRM200-GLOW **	Ovenproof Meat Thermometer - Glow	0 18436 00213 0	72	6	13.05
IRL500	Long Stem Fry Thermometer - 12"	0 18436 00210 9	36	6	15.35
THERMOCOUPLE THERMOMETERS					
TCTW572 **	Waterproof Folding Thermocouple Thermometer	0 18436 00508 7	48	12	89.00
INFRARED THERMOMETERS					
INTP662 *	Infrared Gun/Thermocouple Thermometer	0 18436 00572 8	30	N/A	165.75
DIGITAL PROBE THERMOMETERS					
DTP392 *	Probe Thermometer	0 18436 00619 0	96	12	33.95
DTTC	Combo Probe Thermometer, Timer & Clock	ALL COLORS	48	6	37.80
DSP1	Dual-Sensing Probe Thermometer/Timer	ALL COLORS	48	6	53.30
CANDY & DEEP FRY THERMOMETERS					
TCG400	Candy & Deep Fry Ruler Thermometer	0 18436 00502 5	72	6	12.40
BEVERAGE & FROTHING THERMOMETERS					
IRB220-F **	Beverage & Frothing Thermometer - 5" Stem	0 18436 00230 7	144	6	9.15
SANITIZING & WIPES					
PW200	Thermometer Probe Wipes - Packets	0 18436 00906 1	50	5	11.20
OVEN & GRILL THERMOMETERS					
DOT2 *	Oven Thermometer	0 18436 00251 2	144	6	6.15
POT750X *	High Heat Oven Thermometer	0 18436 00240 6	144	6	8.50
GTS800X *	Grill Surface Thermometer	0 18436 00486 8	144	6	11.00
REFRIGERATOR/FREEZER/AIR THERMOMETERS					
EFG120 *	Refrigerator/Freezer Thermometer	0 18436 00259 8	144	12	3.10
FG80 *	Refrigerator/Freezer Thermometer	0 18436 00257 4	216	12	5.30
RT11 *	Refrigerator/Freezer Thermometer	0 18436 00255 0	144	6	6.15
HOURLY/MINUTE THERMOMETERS					
TM2	Digital Timer	0 18436 00350 2	96	6	18.25
HOURLY/MINUTE/SECOND THERMOMETERS					
TM8 *	Multi-Task Timer & Clock	0 18436 00403 5	96	6	27.50
TM30 *	Direct Entry 2-Alarm Timer	0 18436 00404 2	96	6	32.00
MINUTE/SECOND THERMOMETERS					
TM15 *	Extra Big Digit Timer	0 18436 00441 7	96	6	25.00
TMW1 *	Waterproof Timer	0 18436 00301 4	96	6	31.00
MECHANICAL THERMOMETERS					
MT1	Heavy Duty Mechanical Timer	0 18436 00407 3	96	24	14.25
MASTER SCALES					
SD0502 **	Digital Portion Control Scale, 5 lb	0 18436 00818 7	4	N/A	89.35
SD1112 **	Digital Portion Control Scale, 11 lb	0 18436 00817 0	4	N/A	115.45
SD2210X **	Digital Portion Control Scale, 22 lb	0 18436 00834 7	12	N/A	57.90
SD0909 **	Digital High Precision Scale, 2 lb	ALL COLORS	12	N/A	40.00
* NEW	* NSF	* Exclusive to CDN			
Tel 800 338-5594 Fax 800 879-2364 Web CDNmeasurement.com					
CD29211121 - 12/23					



MODEL	DESCRIPTION	UPC	CASE PACK	INNER PACK	LIST PRICE
DIGITAL THERMOMETERS					
DT392 *	Digital Thermometer	0 18436 00609 1	144	6	15.35
DT450X **	Digital Pocket Thermometer	ALL COLORS	144	6	19.45
DTT450 **	Thin Tip Pocket Thermometer	ALL COLORS	144	6	26.35
DTTW572 ***	Waterproof Thin Tip Thermometer	0 18436 00507 0	48	6	36.50
COOKING THERMOMETERS					
IRT220 *	Cooking Thermometer	0 18436 00202 4	144	6	5.55
IRM200-GLOW **	Ovenproof Meat Thermometer - Glow	0 18436 00213 0	72	6	13.05
IRL500	Long Stem Fry Thermometer - 12"	0 18436 00210 9	36	6	15.35
THERMOCOUPLE THERMOMETERS					
TCTW572 **	Waterproof Folding Thermocouple Thermometer	0 18436 00508 7	48	12	89.00
INFRARED THERMOMETERS					
INTP662 *	Infrared Gun/Thermocouple Thermometer	0 18436 00572 8	30	N/A	165.75
DIGITAL PROBE THERMOMETERS					
DTP392 *	Probe Thermometer	0 18436 00619 0	96	12	33.95
DTTC	Combo Probe Thermometer, Timer & Clock	ALL COLORS	48	6	37.80
DSP1	Dual-Sensing Probe Thermometer/Timer	ALL COLORS	48	6	53.30
CANDY & DEEP FRY THERMOMETERS					
TCG400	Candy & Deep Fry Ruler Thermometer	0 18436 00502 5	72	6	12.40
BEVERAGE & FROTHING THERMOMETERS					
IRB220-F **	Beverage & Frothing Thermometer - 5" Stem	0 18436 00230 7	144	6	9.15
SANITIZING & WIPES					
PW200	Thermometer Probe Wipes - Packets	0 18436 00906 1	50	5	11.20
OVEN & GRILL THERMOMETERS					
DOT2 *	Oven Thermometer	0 18436 00251 2	144	6	6.15
POT750X *	High Heat Oven Thermometer	0 18436 00240 6	144	6	8.50
GTS800X *	Grill Surface Thermometer	0 18436 00486 8	144	6	11.00
REFRIGERATOR/FREEZER/AIR THERMOMETERS					
EFG120 *	Refrigerator/Freezer Thermometer	0 18436 00259 8	144	12	3.10
FG80 *	Refrigerator/Freezer Thermometer	0 18436 00257 4	216	12	5.30
RT11 *	Refrigerator/Freezer Thermometer	0 18436 00255 0	144	6	6.15
HOURLY/MINUTE THERMOMETERS					
TM2	Digital Timer	0 18436 00350 2	96	6	18.25
HOURLY/MINUTE/SECOND THERMOMETERS					
TM8 *	Multi-Task Timer & Clock	0 18436 00403 5	96	6	27.50
TM30 *	Direct Entry 2-Alarm Timer	0 18436 00404 2	96	6	32.00
MINUTE/SECOND THERMOMETERS					
TM15 *	Extra Big Digit Timer	0 18436 00441 7	96	6	25.00
TMW1 *	Waterproof Timer	0 18436 00301 4	96	6	31.00
MECHANICAL THERMOMETERS					
MT1	Heavy Duty Mechanical Timer	0 18436 00407 3	96	24	14.25
MASTER SCALES					
SD0502 **	Digital Portion Control Scale, 5 lb (Small Profile)	0 18436 00818 7	4	N/A	89.35
SD1112 **	Digital Portion Control Scale, 11 lb (Medium Profile)	0 18436 00817 0	4	N/A	115.45
SUBMERSIBLE SCALES					
SD1104X **	Submersible Scale, 11 lb	0 18436 00832 3	4	N/A	225.00
SD2210X **	Submersible Scale, 22 lb	0 18436 00833 0	4	N/A	245.00
GLASS SCALES					
SD1502 **	NSF® Digital Glass Scale, 15 lb	ALL COLORS	20	N/A	48.10
PRECISION SCALES					
SD0202 **	Digital Precision Scale, 2.2 lb	ALL COLORS	12	N/A	40.00
* NEW * NSF * EXCLUSIVE TO CDN					



MODEL	DESCRIPTION	UPC	CASE PACK	INNER PACK	LIST PRICE
DIGITAL THERMOMETERS					
DT392 *	Digital Thermometer	0 18436 00609 1	144	6	15.35
DT572 **	Digital Folding Thermometer	ALL COLORS	60	6	16.00
DTT450 **	Thin Tip Pocket Thermometer	ALL COLORS	144	6	26.35
Q2-450X **	Heavy Duty Thin Tip Thermometer	0 18436 00459 2	144	6	27.15
DTTW572 **	Waterproof Thin Tip Thermometer	0 18436 00507 0	48	6	36.50
DTL572 **	Lollipop Thermometer	ALL COLORS	48	6	32.00
COOKING THERMOMETERS					
IRT220 *	Cooking Thermometer	0 18436 00202 4	144	6	5.55
IRM190 *	Ovenproof Meat Thermometer	0 18436 00203 1	144	6	9.00
IRM200-GLOW **	Ovenproof Meat Thermometer - Glow	0 18436 00213 0	72	6	13.05
THERMOCOUPLE THERMOMETERS					
TCTW572 **	Waterproof Folding Thermocouple Thermometer	0 18436 00508 7	48	12	89.00
INFRARED THERMOMETERS					
IN1022	Infrared Gun	0 18436 00571 1	30	N/A	103.80
INTP662 **	Infrared Gun/Thermocouple Thermometer	0 18436 00572 8	30	N/A	165.75
DIGITAL PROBE THERMOMETERS					
DTTC	Combo Probe Thermometer, Timer & Clock	ALL COLORS	48	6	37.80
DSPI	Dual-Sensing Probe Thermometer/Timer	ALL COLORS	48	6	53.30
CANDY & DEEP FRY THERMOMETERS					
TCG400	Candy & Deep Fry Ruler Thermometer	0 18436 00502 5	72	6	12.40
IRL500	Long Stem Fry Thermometer - 12"	0 18436 00210 9	36	6	15.35
IRXL400 *	Candy & Deep Fry Thermometer	0 18436 00204 8	144	6	8.20
DTW450L **	Waterproof Thermometer - Long Stem	0 18436 00469 1	48	6	43.00
BEVERAGE & FROTHING THERMOMETERS					
IRB220-F **	Beverage & Frothing Thermometer - 5" Stem	0 18436 00230 7	144	6	9.15
SANITIZING AND PROBE WIPES					
PW90	Thermometer Probe Wipes	0 18436 00918 4	80	20	8.50
PW200	Thermometer Probe Wipes - Packets	0 18436 00906 1	50	5	11.20
OVEN & GRILL THERMOMETERS					
DOT2 *	Oven Thermometer	0 18436 00251 2	144	6	6.15
POT750X *	High Heat Oven Thermometer	0 18436 00240 6	144	6	11.00
GT5800X *	Grill Surface Thermometer	0 18436 00486 8	144	6	8.50
REFRIGERATOR/FREEZER/AIR THERMOMETERS					
EFG120 **	Refrigerator/Freezer Thermometer	0 18436 00259 8	144	12	3.10
FG80 *	Refrigerator/Freezer Thermometer	0 18436 00257 4	216	12	5.30
RF1 *	Refrigerator/Freezer Thermometer	0 18436 00255 0	144	6	6.15
DISHWASHER THERMOMETERS					
DW2	Dishwasher Thermometer	0 18436 00498 1	24	6	73.50
HOUR/MINUTE TIMERS					
TM2	Digital Timer	0 18436 00350 2	96	6	18.25
* NEW * NSF * EXCLUSIVE TO CDN					

2024 MARKETING MATERIALS

Sales Support



2024

The Right Tools for Every Application.

COOKING

IRT220 *** – COOKING THERMOMETER

DT392 *** – DIGITAL THERMOMETER

DT572 *** – DIGITAL FOLDING THERMOMETER

DTT450 *** – THIN TIP POCKET THERMOMETER

Q2-450X *** – HEAVY DUTY THIN TIP THERMOMETER

DTTW572 *** – WATERPROOF THIN TIP THERMOMETER

DTL572 *** – LOLLIPOP THERMOMETER

SD0502 *** – DIGITAL PORTION CONTROL SCALE, 5 LB, SMALL PROFILE

THICK CUTS OF MEAT

SD1114 *** – DIGITAL PORTION CONTROL SCALE, 11 LB, SMALL PROFILE

DTL572 *** – LOLLIPOP THERMOMETER

IRT220 *** – COOKING THERMOMETER

IRM190 *** – OVENPROOF MEAT THERMOMETER

IRM200-GLOW *** – OVENPROOF MEAT THERMOMETER – GLOW

DTTC – COMBO PROBE THERMOMETER, TIMER & CLOCK

SD2202 *** – DIGITAL PORTION CONTROL SCALE, 22 LB, LARGE PROFILE

SD5502 *** – DIGITAL PORTION CONTROL SCALE, 55 LB, LARGE PROFILE

SD1120 *** – SUBMERSIBLE SCALE, 11 LB

SD1120 *** – SUBMERSIBLE SCALE, 11 LB

THIN CUTS OF MEAT

DT572 *** – DIGITAL FOLDING THERMOMETER

DTT450 *** – THIN TIP POCKET THERMOMETER

DTT450X *** – THIN TIP THERMOMETER

DTTW572 *** – WATERPROOF THIN TIP THERMOMETER

DTL572 *** – LOLLIPOP THERMOMETER

INTP662 *** – INFRARED GUN/THERMOCOUPLE THERMOMETER

SD1114 *** – DIGITAL PORTION CONTROL SCALE, 11 LB, SMALL PROFILE

SD1120 *** – SUBMERSIBLE SCALE, 11 LB

All products have a five-year limited warranty unless otherwise noted. **5-Year Limited Warranty:** Any instrument that proves to be defective in material or workmanship (excluding batteries) within five years of original purchase will be repaired or replaced without charge upon receipt of the unit prepaid at CDN, PO Box 10947, Portland, OR 97296-0947. This warranty does not cover damage in shipment or failure caused by failure to adhere to the accompanying instructions, inadequate maintenance, normal wear and tear, tampering, accident, misuse, unauthorized modification, obvious carelessness or abuse. CDN shall not be liable for any consequential or incidental damages whatsoever.

certified WBENC WOMEN'S BUSINESS ENTERPRISE

Tel 800 338-5594 Fax 800 879-2364 Web CDNMeasurement.com

* NEW * NSF * BioCote * EXCLUSIVE TO CDN * 1-Year Limited Warranty

CANDY & DEEP FRY

TC6400 *** – CANDY & DEEP FRY RULER THERMOMETER

IRXL400 *** – CANDY & DEEP FRY THERMOMETER

IRL500 *** – LONG STEM FRY THERMOMETER – 12"

DTC450 *** – DIGITAL CANDY THERMOMETER

DTW450L *** – WATERPROOF THERMOMETER – LONG STEM

TM8 *** – MULTI-TASK TIMER & CLOCK

DTTC – COMBO PROBE THERMOMETER, TIMER & CLOCK

SD0202 *** – DIGITAL HIGH PRECISION SCALE, 2 LB

SD0204 *** – DIGITAL HIGH PRECISION SCALE, 2 LB, SMALL PROFILE

SD0502 *** – DIGITAL PORTION CONTROL SCALE, 5 LB, SMALL PROFILE

SD1112 *** – DIGITAL PORTION CONTROL SCALE, 11 LB, MEDIUM PROFILE

SD2202 *** – DIGITAL PORTION CONTROL SCALE, 22 LB, LARGE PROFILE

OVEN

DOT2 *** – OVEN THERMOMETER

POT750X *** – HIGH HEAT OVEN THERMOMETER

TM15 *** – EXTRA-BIG DIGIT TIMER

IN1022 *** – INFRARED GUN

INTP662 *** – INFRARED GUN/THERMOCOUPLE THERMOMETER

DSPI – DUAL-SENSING PROBE THERMOMETER/TIMER

GTS800X *** – GRILL SURFACE THERMOMETER

IN1022 *** – INFRARED GUN

INTP662 *** – INFRARED GUN/THERMOCOUPLE THERMOMETER

TM30 *** – DIRECT ENTRY 2-ALARM TIMER

SD2202 *** – DIGITAL PORTION CONTROL SCALE, 22 LB, LARGE PROFILE

SD1110X *** – SUBMERSIBLE SCALE, 11 LB

HOT HOLDING

HOT1 *** – HOT HOLDING THERMOMETER

EF6120 *** – REFRIGERATOR/FREEZER THERMOMETER

FG80 *** – REFRIGERATOR/FREEZER THERMOMETER

RFT1 *** – REFRIGERATOR/FREEZER THERMOMETER

AT120 – AIR THERMOMETERS - DOZEN

SD5502 *** – DIGITAL PORTION CONTROL SCALE, 55 LB, LARGE PROFILE

IN1022 *** – INFRARED GUN

INTP662 *** – INFRARED GUN/THERMOCOUPLE THERMOMETER

DTW450L *** – WATERPROOF THERMOMETER – LONG STEM

SDR220 *** – DIGITAL SHIPPING & RECEIVING SCALE, 220 LB

* NEW * NSF * BioCote * EXCLUSIVE TO CDN * 1-Year Limited Warranty

SALAD BAR

DT572 *** – DIGITAL FOLDING THERMOMETER

DTT450 *** – THIN TIP POCKET THERMOMETER

DTTW572 *** – WATERPROOF THIN TIP THERMOMETER

DTL572 *** – LOLLIPOP THERMOMETER

TCTW572 *** – WATERPROOF FOLDING THERMOCOUPLE THERMOMETER

INTP662X *** – INFRARED THERMOCOUPLE PROBE THERMOMETER

INTP662 *** – AIR THERMOMETER/THERMOCOUPLE THERMOMETER

TM8 *** – MULTI-TASK TIMER & CLOCK

SD1114 *** – DIGITAL PORTION CONTROL SCALE, 11 LB, SMALL PROFILE

SD1112 *** – DIGITAL PORTION CONTROL SCALE, 11 LB, MEDIUM PROFILE

SD3302 *** – DIGITAL PORTION CONTROL SCALE, 33 LB, LARGE PROFILE

BEVERAGE

IRT220-F *** – BEVERAGE & FROTHING THERMOMETER

IRB220-F *** – BEVERAGE & FROTHING THERMOMETER – 5" STEM

IRTL220 *** – BEVERAGE & FROTHING THERMOMETER – 7" STEM

TM8 *** – MULTI-TASK TIMER & CLOCK

TM15 *** – EXTRA-BIG DIGIT TIMER

TMW1 *** – WATERPROOF TIMER

SD0202 *** – DIGITAL HIGH PRECISION SCALE, 2 LB

SD0204 *** – DIGITAL HIGH PRECISION SCALE, 2 LB, SMALL PROFILE

SD0502 *** – DIGITAL PORTION CONTROL SCALE, 5 LB, SMALL PROFILE

SD2202 *** – DIGITAL PORTION CONTROL SCALE, 22 LB, LARGE PROFILE

MEAL DELIVERY CARTS

DT572 *** – DIGITAL FOLDING THERMOMETER

DTTW572 *** – WATERPROOF THIN TIP THERMOMETER

DTL572 *** – LOLLIPOP THERMOMETER

TCTW572 *** – WATERPROOF FOLDING THERMOCOUPLE THERMOMETER

IN1022 *** – INFRARED GUN

INTP662 *** – INFRARED GUN/THERMOCOUPLE THERMOMETER

SD1502 *** – NSF® DIGITAL GLASS SCALE, 15 LB

SD0502 *** – DIGITAL PORTION CONTROL SCALE, 5 LB, SMALL PROFILE

SD1114 *** – DIGITAL PORTION CONTROL SCALE, 11 LB, SMALL PROFILE

DISHWASHER

DTW450 *** – DISHWASHER THIN TIP THERMOMETER

DW2 *** – DISHWASHER THERMOMETER

* NEW * NSF * BioCote * EXCLUSIVE TO CDN * 1-Year Limited Warranty

A GLOBAL CATEGORY LEADER


CDN is a global category leader in kitchen measurement tools, known for quality and innovation for over 40 years.

Our measurement tools range from the basic to the unique. CDN has the right instrument to help you streamline your operation — from receiving product to cooking, storing, serving and cleaning. Foodservice professionals rely on CDN products, which are used in over 20,000 foodservice locations worldwide, including large international coffee and restaurant chains.

CDN was named "Best Overall Company" in its category by the prestigious Stevie Awards for Women in Business. We are also a certified member of the Women's Business Enterprise National Council (WBENC), providing additional benefits to our customers.

SOCIAL RESPONSIBILITY

CDN strives to maintain a balance between the economy and the ecosystem by choosing innovative technologies and programs that reflect our sensitivity towards social, cultural, economic, and environmental issues.



SUPERIOR QUALITY

All stainless steel is not the same. CDN thermometers are made of a premium grade stainless steel, which is superior to the stainless used in many other thermometers. CDN bimetal thermometer stems are welded to a calibration nut. Less expensive thermometers are only pressed together. The dip in the stem of our bimetal thermometers indicates the place where the temperature coil is welded to a special tubing and where you will get the most accurate reading. This extra measure provides an additional degree of stability and accuracy, and is unique to CDN. National Sanitation Foundation is an approval agency that certifies that thermometers bearing the NSF® mark are manufactured to high commercial standards. Because of higher listing costs, only a select number of our thermometers carry the NSF® mark. However, all our dial thermometers are manufactured to NSF® standards in an NSF® Certified facility. We use an incoming inspection program based on military QC standard MIL0865.

BioCote®

Antimicrobial properties are built-in to inhibit the growth of bacteria that may affect this product. According to EPA guidelines we cannot claim that the antimicrobial properties in this product protect users or others against bacteria, viruses, germs, or other disease organisms. This product does not protect users or others against food-borne bacteria. Always clean and wash this product thoroughly before and after each use.

Batteries included with all electronic products.

5-YEAR LIMITED WARRANTY

All products have a five-year limited warranty unless otherwise noted. **5-Year Limited Warranty:** Any instrument that proves to be defective in material or workmanship (excluding batteries) within five years of original purchase will be repaired or replaced without charge upon receipt of the unit prepaid at CDN, PO Box 10947, Portland, OR 97296-0947. This warranty does not cover damage in shipment or failure caused by failure to adhere to the accompanying instructions, inadequate maintenance, normal wear and tear, tampering, accident, misuse, unauthorized modification, obvious carelessness or abuse. CDN shall not be liable for any consequential or incidental damages whatsoever.

ProAccurate NSF BioCote WBENC

CD2021101J - 12/23

The Right Tools for Every Application

2024 MARKETING MATERIALS

New Specialty Flyers

Everything for Refrigeration Supply & Service

CDN has the right tools for your needs.



IN1022
Infrared Gun

-76 to +1022°F
-60 to +550°C

INTP626X
Infrared/
Thermocouple Probe
Thermometer

Infrared:
-67 to +482°F
-55 to +250°C
Thermocouple:
-67 to +626°F
-55 to +330°C

INTP662
Infrared Gun/
Thermocouple
Thermometer

Infrared:
-75 to +662°F
-60 to +350°C
Thermocouple:
-76 to +626°F
-60 to +350°C

FG80
Refrigerator/Freezer
Thermometer

-40 to +80°F/-40 to +27°C

EF6120
Refrigerator/Freezer
Thermometer

-40 to +120°F/-40 to +50°C

DOT2
Oven Thermometer

150 to 550°F/70 to 280°C

RFT1
Refrigerator/Freezer Thermometer

-20 to +80°F/-30 to +30°C

GTS800X
Grill Surface
Thermometer

100 to 800°F
40 to 425°C

CDN®
Measurement Tools

A GLOBAL CATEGORY LEADER

CDN is a global category leader in measurement tools, known for quality and innovation.

CDNmeasurement.com

© 2024 CDN All rights reserved.

certified
WBENC

WOMEN'S BUSINESS ENTERPRISE

Everything for Convenience Stores

With thermometers, timers and scales, CDN has the right tools to help you achieve consistent results.



DT382
Digital Thermometer

DTTW572
Waterproof Thin Tip
Thermometer

DTT450
Thin Tip Pocket
Thermometer

RT220
Cooking Thermometer

TM3
Extra Big Digit Timer

DW2
Dishwasher Thermometer

SD210X
Submersible Scale, 22 lb

TCTW572
Waterproof Folding
Thermocouple
Thermometer

INTP626X
Infrared/
Thermocouple Probe
Thermometer

INTP662
Infrared Gun/
Thermocouple
Thermometer

INTP662
Infrared Gun/
Thermocouple
Thermometer

NOT1
Hot Holding
Thermometer

RFT1
Refrigerator/Freezer
Thermometer

FG80
Refrigerator/Freezer
Thermometer

EF6120
Refrigerator/Freezer
Thermometer

GTS800X
Grill Surface
Thermometer

SD1114
Digital Portion Control Scale, 11 lb

PW200, PW1000
Thermometer Probe Wipes

TM3
Multi-Task Timer
& Clock

TM3
Multi-Task Timer
& Clock

CDN®
Measurement Tools

A GLOBAL CATEGORY LEADER

CDN is a global category leader in measurement tools, known for quality and innovation.

www.CDNmeasurement.com

© 2024 CDN All rights reserved.

certified
WBENC

WOMEN'S BUSINESS ENTERPRISE

Everything for Hotels

CDN has a broad assortment of thermometers, timers and scales to help you achieve food safety and consistent results.



INTP626X
Infrared/
Thermocouple Probe
Thermometer

INTP662
Infrared Gun/
Thermocouple
Thermometer

INTP662
Infrared Gun/
Thermocouple
Thermometer

FG80
Refrigerator/Freezer
Thermometer

DOT2
Oven Thermometer

RFT1
Refrigerator/Freezer
Thermometer

GTS800X
Grill Surface
Thermometer

SD1114
Digital Portion Control Scale, 11 lb

DTT450
Thin Tip Pocket
Thermometer

DTTW572
Waterproof Thin Tip
Thermometer

DTT450
Thin Tip Pocket
Thermometer

RT220
Cooking Thermometer

TM3
Extra Big Digit Timer

DW2
Dishwasher Thermometer

SD210X
Submersible Scale, 22 lb

TCTW572
Waterproof Folding
Thermocouple
Thermometer

INTP626X
Infrared/
Thermocouple Probe
Thermometer

INTP662
Infrared Gun/
Thermocouple
Thermometer

FG80
Refrigerator/Freezer
Thermometer

DOT2
Oven Thermometer

RFT1
Refrigerator/Freezer
Thermometer

GTS800X
Grill Surface
Thermometer

SD1114
Digital Portion Control Scale, 11 lb

PW200, PW1000
Thermometer Probe Wipes

TM3
Multi-Task Timer
& Clock

TM3
Multi-Task Timer
& Clock

CDN®
Measurement Tools

A GLOBAL CATEGORY LEADER

CDN is a global category leader in measurement tools, known for quality and innovation.

www.CDNmeasurement.com

© 2024 CDN All rights reserved.

certified
WBENC

WOMEN'S BUSINESS ENTERPRISE


Refrigeration

C-Stores

Hotels

2024 MARKETING MATERIALS

Technical Specifications



Binder



Planogram

TRIANGLE DOLLY

Panel A

Row 1

DTT450 – Thin Tip Pocket Thermometer – 4 each color (on 4 hooks)

-40 to +450°F/-40 to +230°C

- 4-second response
- One-button field calibration
- Hold
- 1.5 mm thin tip, 2.75" stem

Case Pack	Inner Pack	List Price
144	6	26.35

0 18436 00461 5	DTT450
0 18436 00477 6	DTT450-R
0 18436 00478 3	DTT450-G
0 18436 00479 0	DTT450-B

Row 3

DTW450L – Waterproof Thermometer – Long Stem – 6 (on 2 hooks)

-40 to +450°F/-40 to +230°C

- 6-second response
- Safe for commercial dishwashers (IPX7)
- One-button field calibration
- 2.5 mm reduced tip, 5" stem

Case Pack	Inner Pack	List Price
48	6	43.00

TCTW572 – Waterproof Folding Thermocouple Thermometer – 4 (on 2 hooks)

-58 to +572°F/-50 to +300°C

- 2-second response
- Waterproof (IPX7)
- One-button field calibration
- Backlit 4-way rotating display with extra-big digit
- 1.5 mm thin tip, 4.33" probe

Case Pack	Inner Pack	List Price
48	12	89.00

Row 2

DTTW572 – Waterproof Thin Tip Thermometer – 8 (on 2 hooks)

-40 to +572°F/-40 to +300°C

- 4-second response
- Waterproof (IPX7)
- One-button field calibration
- 180° rotating display
- 1.5 mm thin tip, 3.5" stem

Case Pack	Inner Pack	List Price
48	6	36.50

DTL572 – Lollipop Thermometer – 4

-40 to +572°F/-40 to +300°C

- 4-second response
- Waterproof (IPX7)
- One-button field calibration
- 1.5 mm thin tip, 4.3" stem

Case Pack	Inner Pack	List Price
48	6	32.00

0 18436 00517 1	DTL572-Y
0 18436 00512 4	DTL572-R
0 18436 00513 1	DTL572-G
0 18436 00514 8	DTL572-B

Row 4

DS72 – Digital Folding Thermometer – 4

-58 to +572°F/-50 to +300°C

- 4-second response
- Waterproof (IPX6)
- 1.7 mm thin tip, 3.375" stem
- Black DT572-BK
- Red DT572-R
- Green DT572-G
- Blue DT572-B

Case Pack	Inner Pack	List Price
60	6	16.00

DT450X – Digital Pocket Thermometer – 4

-40 to +450°F/-40 to +230°C

- 6-second response
- Hold
- 2.5 mm reduced tip, 2.75" stem

Case Pack	Inner Pack	List Price
144	6	19.45

TCTW572 – Waterproof Folding Thermocouple Thermometer – 4 (on 2 hooks)

-58 to +572°F/-50 to +300°C

- 2-second response
- Waterproof (IPX7)
- One-button field calibration
- Backlit 4-way rotating display with extra-big digit
- 1.5 mm thin tip, 4.33" probe

Case Pack	Inner Pack	List Price
48	12	89.00

All products have a five year limited warranty unless otherwise noted. 5-Year Limited Warranty: Any instrument that proves to be defective in material or workmanship (excluding batteries within five years of original purchase) will be repaired or replaced without charge upon receipt of the unit prepaid at: CON, PO Box 10847, Portland, OR 97296-0847. This warranty does not cover damage in shipment or failure caused by failure to adhere to the accompanying instructions, misapplication, maintenance, normal wear and tear, tampering, accident, misuse, unauthorized modification, obvious carelessness or abuse. CON shall not be liable for any consequential or incidental damages whatsoever.

2

800-338-5594 | orders@CDNmeasurement.com

STANDALONE PRODUCTS

	PW200 – Thermometer Probe Wipes - Packets – 5 <i>200 Single Use Packets</i> • FDA-listed, EPA & NOAA certified • 70% Isopropyl Alcohol • Expiration date on package • 1.2" x 2.2" pads						
0 18436 00806 1 	<table> <tr> <th>Case Pack</th><th>Inner Pack</th><th>List Price</th></tr> <tr> <td>50</td><td>5</td><td>11.20</td></tr> </table>	Case Pack	Inner Pack	List Price	50	5	11.20
Case Pack	Inner Pack	List Price					
50	5	11.20					
SD0502 – Digital Portion Control Scale, 5 lb – 3 <i>5 lb/2.27 kg by lb/oz/kg/g</i>	• Small profile • Tare, hold & field calibration						
0 18436 00818 7 	<table> <tr> <th>Case Pack</th><th>Inner Pack</th><th>List Price</th></tr> <tr> <td>4</td><td>N/A</td><td>89.35</td></tr> </table>	Case Pack	Inner Pack	List Price	4	N/A	89.35
Case Pack	Inner Pack	List Price					
4	N/A	89.35					
SD1114 – Digital Portion Control Scale, 11 lb – 3 <i>11 lb/5 kg by lb/oz/kg/g</i>	• Small profile • Tare, hold & field calibration						
0 18436 00820 0 	<table> <tr> <th>Case Pack</th><th>Inner Pack</th><th>List Price</th></tr> <tr> <td>4</td><td>N/A</td><td>92.10</td></tr> </table>	Case Pack	Inner Pack	List Price	4	N/A	92.10
Case Pack	Inner Pack	List Price					
4	N/A	92.10					

	SD1112 – Digital Portion Control Scale, 11 lb – 3 <i>11 lb/5 kg by lb/oz/kg/g</i> • Medium profile • Tare, hold & field calibration						
0 18436 00817 0 	<table> <tr> <th>Case Pack</th><th>Inner Pack</th><th>List Price</th></tr> <tr> <td>4</td><td>N/A</td><td>115.45</td></tr> </table>	Case Pack	Inner Pack	List Price	4	N/A	115.45
Case Pack	Inner Pack	List Price					
4	N/A	115.45					
SD2202 – Digital Portion Control Scale, 22 lb – 3 <i>22 lb/10 kg by lb/oz/kg/g</i>	• Large profile • Tare, hold & field calibration						
0 18436 00816 3 	<table> <tr> <th>Case Pack</th><th>Inner Pack</th><th>List Price</th></tr> <tr> <td>4</td><td>N/A</td><td>153.35</td></tr> </table>	Case Pack	Inner Pack	List Price	4	N/A	153.35
Case Pack	Inner Pack	List Price					
4	N/A	153.35					
SD1110X – Submersible Scale, 11 lb – 3 <i>11 lb/5 kg/176 oz by lb/oz/kg/oz/g</i>	• Submersible (IP67) • Programmable • Tare & field calibration						
0 18436 00832 3 	<table> <tr> <th>Case Pack</th><th>Inner Pack</th><th>List Price</th></tr> <tr> <td>4</td><td>N/A</td><td>225.00</td></tr> </table>	Case Pack	Inner Pack	List Price	4	N/A	225.00
Case Pack	Inner Pack	List Price					
4	N/A	225.00					


PO Box 10947
Portland, OR 97296-0947

Tel 800 338-5594
Fax 800 879-2364

info@CDNmeasurement.com
CDNmeasurement.com

Terms:
Offer valid for one starter kit only; discount cannot be combined with other special offers
Offer valid for accounts with established terms and are in good standing with CDN or upon successful credit application

CD0921099 - 12/23





Advertising

Kristyn Fuller

Field Marketing & Media

ADVERTISING

Keeping You Informed

CDN e-blasts are a powerful tool, with an unusually high average open rate of 35% — way higher than most manufacturers. Featuring new and bestselling CDN products, plus valuable information on trends and CDN's competitive advantages.



CDN celebrates 40 years of innovation in precision measuring tools at the 2024 National Restaurant Association Show. CDN's broad assortment of thermometers, timers and scales is a must-see.



We invite you to visit the CDN booth #1650 at NRA in Chicago May 18-21. Please [contact us](#) to make an appointment, or just stop by.



CDN, a global category leader in kitchen measurement tools, has the right instruments to help streamline your operation — from receiving product to cooking, storing, serving, and cleaning. CDN products are used in over 20,000 foodservice locations worldwide, including large chains.

Our **2024 Foodservice Catalog** showcases our measurement tools from the basic to the unique.



Contact us with any questions. We're here to help.

www.CDNmeasurement.com | 800-338-5594 | info@CDNmeasurement.com

EMAIL US NOW



ADVERTISING

Partnering with Buying Groups & Affiliates



STRATA
GROUP PURCHASING ORGANIZATION



XYZ Group



CDN collaborates with buying groups and affiliates to optimize our marketing dollars, with initiatives that build CDN brand awareness and sales. This continues to be an effective strategy and greatly contributes to CDN's growth.

CDN[®]
Measurement Tools

A global category leader in thermometers, timers and scales

CDN specializes in measurement tools, with a broad assortment of thermometers, timers and scales. CDN stands out as a global category leader with the personal attention and commitment of a business that has been family owned for 40 years.

What sets CDN apart

- Innovation – responsible for many industry firsts
- Majority of products are CDN exclusives
- Superior customer service
- Strong business relationships
- High quality products
- Woman-owned, Certified WBENC member

Let's talk about what we can do for you.
info@CDNmeasurement.com CDNmeasurement.com
Visit CDN at the National Restaurant Association Show booth #S1650



ADVERTISING

Over 222+ million impressions

Foodservice
equipment & supplies

“The NSF-certified DTL572 Lollipop Thermometer features an IPX7 waterproof rating, one-button field calibration, wide temperature range, and a four-second response. The 1 1/2 millimeter tip is suitable for thin cuts of meat or all-purpose cooking. The unit also includes a stainless steel stem and antimicrobial coating.”



RESTAURANT Daily
News
AN INDEPENDENT PUBLICATION NOT AFFILIATED WITH NRA

"Scales from CDN stand out for specialized features that make them a practical choice in many commercial operations, a small investment that can pay big dividends for overall efficiency."



 **daily meal**

 **TODAY**

FOOD & WINE

— AMERICA'S —
TEST KITCHEN

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE



Growth Strategy

GROWTH STRATEGY – BUYING GROUP UPDATE



OPERATOR NEWS





Focus on Food Safety
The right tools make a difference

Our collection of CDN measurement tools provides unmatched accuracy, water resilience, and field calibration, making it easy to achieve the highest levels of food safety. Check out these top sellers and take the first step toward ensuring the safety and quality of your food products!

[Learn More](#)



Working Smarter
Increase the overall efficiency of your kitchen

SmartSteam® Pro expands menus, saves energy, and simplifies maintenance. Track unit diagnostics in real-time, precisely monitor the cooking progress, and program pan timers with ease, giving you more control than ever before. SmartSteam® Pro is the ultimate cooking companion that empowers you to cook smarter, not harder!

[Learn More](#)



thermometers

[CLICK HERE](#)

efficient, and hassle-free. Using them can save you a considerable amount of time and money by reducing labor costs and minimizing food waste.

[Learn More](#)

smoothies and smoothest smoothies every time. Serving more customers in less time leads to increased profits and satisfied customers!

[Learn More](#)



GROWTH STRATEGY – BUYING GROUP UPDATE



STRATA
GROUP PURCHASING ORGANIZATION

PRODUCT INNOVATION, QUALITY AND VALUE

CDN specializes in kitchen measurement tools, with a wide assortment of thermometers, timers and scales. They are a global category leader with the personal service and commitment of a business that has been family owned for over 40 years.

Master Scales
Equipped with a removable stainless steel platform and a heavy-duty food-safe ABS plastic case with BioCote® antimicrobial. Features field calibration with selectable units, tare, hold, on/off, and auto-off functions. Includes batteries and an AC adapter to preserve battery life.

SMALL SD0204 2.2 lb x 0.01 oz/ 1000 g x 0.1 g	MEDIUM SD1112 11 lb x 0.1 oz/5 kg x 1 g
SD0205 5 lb x 0.1 oz/ 2.27 kg x 1 g	LARGE SD2202 22 lb x 0.1 oz/ 10 kg x 1 g
SD1114 11 lb x 0.1 oz/ 5 kg x 1 g	SD5502 55 lb x 0.2 oz/ 25 kg x 5 g
	SD3302 33 lb x 0.2 oz/ 15 kg x 5 g

Waterproof Thin Tip Thermometer
The best-selling new product in CDN's history, this full-featured ergonomic thermometer offers an IPX7 waterproof rating, 3.5" stem, 1.5mm thin tip, fast 4-second response and one-button field calibration. With hold and max/min modes, the 180° rotating display makes this thermometer easy-to-read in any position.

DTTW572
-40° to 572°F

Extra-Big Digit Timer
This timer is especially designed for easy viewing from across commercial kitchens to help ensure the best culinary results. With its extra-big digits and easy-to-press buttons, this popular timer counts up or down for up to 100 minutes in minutes and seconds. It comes with a magnet, display stand and loop for easy attachment to kitchen appliances and walls.

TM15
100 Minutes by min/sec

Refrigerator/Freezer Thermometers
Maintain optimal temperatures in foodservice refrigerators, freezers, and dry storage areas. Features two-way mounting options and color-coded temperature zones to help maintain food safety standards.

RFT1
Dial, -20° to 80°F

EFG120
Vertical Tube, -40° to 120°F

FG80
Horizontal Tube, -40° to 80°F

17

PRODUCT INNOVATION, QUALITY AND VALUE

CDN is a global category leader with the personal service and commitment of a business that has been family owned for over 40 years, specializing in commercial measurement tools.

Lollipop Thermometer
Coming in four HACCP-ready colors, this full-featured thermometer offers an IPX7 waterproof rating, 4.3" stem, 1.5mm thin tip, fast 4-second response and one-button field calibration as well as hold and max/min modes. Available in Yellow (-Y), Red (-R), Green (-G) and Blue (-B).

DTL572
-40° to 572°F

High-Precision Scale
The go-to choice for weighing small quantities of critical ingredients that need to be measured with unusual exactitude, this scale measures to a hundredth of an ounce or one tenth of a gram. Two-button operation makes it easy and intuitive to use. A removable stainless steel platform and BioCote® antimicrobial protection make it easy to clean. Available in Gray (-GY), Red (-R), Green (-G) and Blue (-B).

SD0202
2 lb

4

Strata GPO 2024

CONVERSION SPECIAL

Offer valid March 15 – December 31, 2024

5% CONVERSION CREDIT
available when you switch 10 or more products from a competitor to CDN by a Strata dealer.

Promo Code **STRATA24CONV**

***Terms & Conditions**
Terms – Offer valid for one order only. Cannot be combined with any other promotions. Proof of conversion is required. Please reach out to [Shawn DiGiuseppe](#) for conversion approval Offer valid for accounts with established terms and are in good standing with CDN. Not 30 days on approved credit. Flat rate items are not applicable towards special. Does not apply to backordered products.
Freight – Free freight \$500 shipped. Orders are FOB Portland, OR. Prepaid freight will be shipped at ground rate. Air shipments will be billed at difference between air and surface rates.
Promo Code – In order to take advantage of the special pricing offered on this special, please use the following promo code: **STRATA24CONV**. Orders without the promo code will not receive the special pricing.

Tel 800 338-5594 Fax 800 879-2364 Web [CDNmeasurement.com](#)

CD2921099 - 3/24

GROWTH STRATEGY – BUYING GROUP UPDATE



CDN NEW!
LOLLIPOP THERMOMETER

- 4-second response • Waterproof (IPX7)
- One-button field calibration • 1.5 mm thin tip
- Hold & max/min • BioCote® antimicrobial
- Mounting: pocket clip • HACCP colors
- Two LR44 alkaline button batteries included
- 4.3" Stem • -40 to +572°F/-40 to 300°C

Item #	Description	Sell Unit	Price/ea.
DTLS72-Y	Yellow	6	Call
DTLS72-R	Red	6	Call
DTLS72-G	Green	6	Call
DTLS72-B	Blue	6	Call

CDN
WATERPROOF THIN TIP THERMOMETER

- 4-second response
- Waterproof (IPX7)
- One-button field calibration
- 1.5 mm thin tip
- 180° rotating display
- Hold & max/min
- BioCote® antimicrobial
- 2-way mounting: pocket clip, hook
- Two LR44 alkaline button batteries included

Item #	Description	Sell Unit	Price/ea.
DTTW572	-40 to +572°F/-40 to 300°C, 3.5" Stem	6	Call

CDN
EXTRA BIG DIGIT TIMER

- Counts up & down • Loud & long alarm
- Last count recall • 3-way mounting: magnet, stand, loop
- One AAA alkaline battery included

Item #	Description	Sell Unit	Price/ea.
TM15	100 Minutes by Minutes/Seconds	6	Call

univex
COUNTERTOP MIXER

- Unique hybrid gear driven system changes speeds on the fly
- Two-piece, stainless steel, dishwasher safe safety guard & bowl
- #12 PTO hub • Interlock switches protect operator
- 4 attachments standard with unit including bowl scraper

Item #	Description	Price/ea.
SRM20+	20 qt., 1/2 hp, 115V	Call

univex
PREP-MATE™ POWER DRIVE UNIT W/VEGETABLE SLICER

- Powerbase unit with VS9 vegetable slicer, hub & shaft, 3/16" shredder plate & S blade
- Power base will drive any accessories made for the #12 power take off (PTO) hub
- Runs attachments at 250 rpm
- Comes with a 5" deep prep container with cover

Item #	Description	Price/ea.
PM91-PK3	#12 Hub, 1 hp, 115V	Call

univex
VEGETABLE/POTATO PEELER

- Great for root vegetables such as potatoes, carrots & parsnips
- Connects to a standard faucet & operates on a drain board, stand, counter or table
- Precision timer automatically shuts off as desired
- Extended discharge tube minimizes splashing
- Not geared for soft vegetables such as onions or apples

Item #	Description	Price/ea.
G-Peeler	20 lb., 1/3 hp, 115V	Call

CDN
DIGITAL FOLDING THERMOMETERS

- Compact folding design
- 4-second response
- Programmable
- Waterproof (IPX6)
- 1.7 mm thin tip
- Accuracy: ±2°F (1°C)

Item #	Description	Sell Unit	Price/ea.
DT572-BK	-58° to +572°F/-50° to +300°C, 3.375" Stem, Black	6	Test/Test
DT572-B	-58° to +572°F/-50° to +300°C, 3.375" Stem, Blue	6	Test/Test
DT572-G	-58° to +572°F/-50° to +300°C, 3.375" Stem, Green	6	Test/Test
DT572-R	-58° to +572°F/-50° to +300°C, 3.375" Stem, Red	6	Test/Test

CDN
LOLLIPOP THERMOMETERS

- 4-second response
- Waterproof (IPX7)
- One-button field calibration
- 1.5 mm thin tip
- Accuracy: ±1.3°F (0.72°C)

Item #	Description	Sell Unit	Price/ea.
DTLS72-Y	-40° to +572°F/-40° to +300°C, 4.3" Stem, Yellow	6	Test/Test
DTLS72-R	-40° to +572°F/-40° to +300°C, 4.3" Stem, Red	6	Test/Test
DTLS72-G	-40° to +572°F/-40° to +300°C, 4.3" Stem, Green	6	Test/Test
DTLS72-B	-40° to +572°F/-40° to +300°C, 4.3" Stem, Blue	6	Test/Test

CDN
SUBMERSIBLE SCALES

- Low/high limit alerts with backlit display
- Submersible (IP68)
- Programmable
- Tare
- Field calibration

Item #	Description	Price/ea.
SD1120	11 lb., Platform: 5.38" x 5.38"	Test/Test
SD2220	22 lb., Platform: 6.4" x 7"	Test/Test

CDN
THIN TIP POCKET THERMOMETERS

- 4-second response
- One-button field calibration
- 1.5 mm thin tip
- Hold
- Accuracy: ±0.5°F (0.3°C)

Item #	Description	Sell Unit	Price/ea.
DTT450-Y	-40° to +450°F/-40° to +230°C, 2.75" Stem, Yellow	6	Test/Test
DTT450-B	-40° to +450°F/-40° to +230°C, 2.75" Stem, Blue	6	Test/Test
DTT450-G	-40° to +450°F/-40° to +230°C, 2.75" Stem, Green	6	Test/Test
DTT450-R	-40° to +450°F/-40° to +230°C, 2.75" Stem, Red	6	Test/Test

CDN
DIGITAL FOLDING THERMOMETERS

- Compact folding design
- 4-second response
- Programmable
- Waterproof (IPX6)
- 1.7 mm thin tip
- Accuracy: ±2°F (1°C)

Item #	Description	Sell Unit	Price/ea.
DT572-BK	-58° to +572°F/-50° to +300°C, 3.375" Stem, Black	6	Test/Test
DT572-B	-58° to +572°F/-50° to +300°C, 3.375" Stem, Blue	6	Test/Test
DT572-G	-58° to +572°F/-50° to +300°C, 3.375" Stem, Green	6	Test/Test
DT572-R	-58° to +572°F/-50° to +300°C, 3.375" Stem, Red	6	Test/Test

CDN
LOLLIPOP THERMOMETERS

- 4-second response
- Waterproof (IPX7)
- One-button field calibration
- 1.5 mm thin tip
- Accuracy: ±1.3°F (0.72°C)

Item #	Description	Sell Unit	Price/ea.
DTLS72-Y	-40° to +572°F/-40° to +300°C, 4.3" Stem, Yellow	6	Test/Test
DTLS72-R	-40° to +572°F/-40° to +300°C, 4.3" Stem, Red	6	Test/Test
DTLS72-G	-40° to +572°F/-40° to +300°C, 4.3" Stem, Green	6	Test/Test
DTLS72-B	-40° to +572°F/-40° to +300°C, 4.3" Stem, Blue	6	Test/Test

CDN
SUBMERSIBLE SCALES

- Low/high limit alerts with backlit display
- Submersible (IP68)
- Programmable
- Tare
- Field calibration

Item #	Description	Price/ea.
SD1120	11 lb., Platform: 5.38" x 5.38"	Test/Test
SD2220	22 lb., Platform: 6.4" x 7"	Test/Test

CDN
THIN TIP POCKET THERMOMETERS

- 4-second response
- One-button field calibration
- 1.5 mm thin tip
- Hold
- Accuracy: ±0.5°F (0.3°C)

Item #	Description	Sell Unit	Price/ea.
DTT450-Y	-40° to +450°F/-40° to +230°C, 2.75" Stem, Yellow	6	Test/Test
DTT450-B	-40° to +450°F/-40° to +230°C, 2.75" Stem, Blue	6	Test/Test
DTT450-G	-40° to +450°F/-40° to +230°C, 2.75" Stem, Green	6	Test/Test
DTT450-R	-40° to +450°F/-40° to +230°C, 2.75" Stem, Red	6	Test/Test

CDN
DIGITAL FOLDING THERMOMETERS

- Compact folding design • 4-second response • Waterproof (IPX6)
- 1.7 mm thin tip • Accuracy: ±2°F (1°C) • 3.375" Stem • 58° to +572°F/-50° to +300°C

Item #	Description	Sell Unit	Price
DT572-BK	Black	6	Test/Test
DT572-R	Red	6	Test/Test
DT572-G	Green	6	Test/Test
DT572-B	Blue	6	Test/Test

CDN
EXTRA BIG DIGIT TIMER

- Counts up & down • Extra big digit • Loud & long alarm • Easy to reset • Low count recall

Item #	Description	Sell Unit	Price
TM15	100 Minutes by Min/Sec	6	Test/Test

CDN
LOLLIPOP THERMOMETERS

- 4-second response • Waterproof (IPX7) • One-button field calibration • 4.3" Stem
- 1.5 mm thin tip • Accuracy: ±1.3°F (0.72°C) • 40° to +572°F/-40° to +300°C

Item #	Description	Sell Unit	Price
DTLS72-Y	Yellow	6	Test/Test
DTLS72-B	Red	6	Test/Test
DTLS72-G	Green	6	Test/Test
DTLS72-B	Blue	6	Test/Test

CDN
THIN TIP POCKET THERMOMETERS

- 4-second response • One-button field calibration • 1.5 mm thin tip • Hold
- Accuracy: ±0.5°F (0.3°C) • 40° to +450°F/-40° to +230°C 2.75" Stem

Item #	Description	Sell Unit	Price
DTT450-Y	Yellow	6	Test/Test
DTT450-R	Red	6	Test/Test
DTT450-G	Green	6	Test/Test
DTT450-B	Blue	6	Test/Test

CDN
MECHANICAL TIMER

- Counts down • Long 3-second alarm
- Stainless steel housing

Item #	Description	Sell Unit	Price
MT1	7 Hours by Min	6	Test/Test

CDN
MULTI-TASK TIMER & CLOCK

- Counts up & down • Dual function • Memory
- Clock • Stopwatch

Item #	Description	Sell Unit	Price
TM8	24 Hours by Hr/Min/Sec	6	Test/Test

10 Due to the volatility of the current market, all efforts will be made to provide product at the advertised prices but some pricing is subject to change.

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

GROWTH STRATEGY – BUYING GROUP UPDATE



XYZ Conference 2021

CDN[®]

Measurement Tools

CONFERENCE SPECIAL

Offer valid October 1-15, 2021



ADDITIONAL
5% OFF

AND
FREE FREIGHT
ON ANY SIZE
ORDER

Order must ship by 10-15-21

Pricing applicable for the
Sept. 15, 2021 Price List only



TERMS

Freight – Free freight on any size order from October 1 through 15, 2021.

Broken Case Packs – No broken case pack charges.

Special Pricing – Prices effective October 1-15, 2021.

Terms – MOQ's \$100.00. No backorders due to current shipping conditions.

Orders must ship by 10-15-21

certified
WBENC

WOMEN'S BUSINESS ENTERPRISE

Tel 800.338-5594 Fax 800.879-2364 Web CDNmeasurement.com

CD2921099 - 9/21



GROWTH STRATEGY

Affiliations Update



GROWTH STRATEGY

Major Accounts



restaurantdepot.com | 1-718-762-8700



CDN is your resource for measurement tools, with a broad assortment of thermometers, timers and scales. CDN is a global category leader with the personal service and commitment of a business that has been family owned for over 35 years. All over the world, people rely on CDN for product innovation, superior customer service, quality and value.

2021





SuppliesontheFly.com | 1-866-792-4793



CDN is your resource for measurement tools, with a broad assortment of thermometers, timers and scales. CDN is a global category leader with the personal service and commitment of a business that has been family owned for over 35 years. All over the world, people rely on CDN for product innovation, superior customer service, quality and value.

2021





wasserstrom.com | 1-866-634-8927



CDN is your resource for measurement tools, with a broad assortment of thermometers, timers and scales. CDN is a global category leader with the personal service and commitment of a business that has been family owned for over 35 years. All over the world, people rely on CDN for product innovation, superior customer service, quality and value.

2021



Restaurant Depot

Supplies on the Fly

Wasserstrom



GROWTH STRATEGY

Major Accounts

 Edward Don & Company

don.com | 800.777.4DON



CDN is your resource for measurement tools, with a broad assortment of thermometers, timers and scales. CDN is a global category leader with the personal service and commitment of a business that has been family owned for over 35 years. All over the world, people rely on CDN for product innovation, superior customer service, quality and value.

2021



Edward Don



CDN-TriMark
February 20, 2020

STOCKING ORDER

DIGITAL THERMOMETERS

TAYLOR 3516FS



List Price
17.15

CDN DT392



Price
6.30

TAYLOR 9841RB



List Price
21.60

CDN DTQ450X



Price
10.35

TAYLOR 9848EFDA



List Price
39.60

CDN Q2-450X



Price
10.35

COOKING THERMOMETERS

TAYLOR 5933



List Price
10.50

CDN FT220



Price
3.60

TAYLOR 6092N-FSA



List Price
52.80

CDN IRT220-HACCP



Price
Special Order

TAYLOR 6092N



List Price
10.55

CDN IRT220-CAL



Price
2.70

Best Seller



All products have a five year limited warranty unless otherwise noted. 5-Year Limited Warranty: Any instrument that proves to be defective in material or workmanship (excluding batteries) within five years of original purchase will be repaired or replaced without charge upon receipt of the unit prepaid at: CDN, PO Box 10947, Portland, OR 97296-0947. This warranty does not cover damage in shipment or failure caused by failure to adhere to the accompanying instructions, inadequate maintenance, normal wear and tear, tampering, accident, misuse, unauthorized modification, obvious carelessness or abuse. CDN shall not be liable for any consequential or incidental damages whatsoever.



PO Box 10947 Portland, OR 97296-0947 Tel 800 338-5594 Fax 800 879-2364 Web CDNKitchen.com

Trimark



Performance Food Group

PFG



GROWTH STRATEGY

Major Accounts



US Foods Direct



Gordon Food Service



Avendra



Recap – 2024 Recipe for Success

2024 RECIPE FOR SUCCESS

- New Products
- Marketing
- Buying Group Support
- Competition Changes



Questions & Answers



Thank You for Your Continued Support



Measurement Tools